

# LineATA

## LINE Gateway for PBX & Phone

LineATA introduction YouTube <https://youtu.be/rd5xjo09GWE> Please enable YouTube caption setting.

### Main Features

1. With LineATA connecting with PBX trunk line, analog phone or office conference phone, employees can use desk phone for a LINE talk. No need headset and microphone! Keep your phone usage habit for LINE calls. Office can save carrier lines.
2. When employees are out of office, they can call back office via free LINE to save expensive roaming or mobile phone fee.
3. Support LINE friends speed dial number and the speed dial list can be exported for back up and imported for use.
4. LINE DOD – Call out assigned LINE account automatically when the phone is off hook.
5. LINE DID – Direct forward to the assigned extension for incoming LINE calls for PBX application.
6. “Audio recovery” button resolves LINE call party’s problem to hear each other.
7. Support FSK Type 1 like Caller ID and display "LINE 566" or "566" and incoming call time.
8. IM mode as a USB audio device for soft phones like Team, Lync/Skype for business, Google voice/hangouts, WhatsApp, Messenger, Skype, zoom, .... Turn existing analog conference phones as Skype or other soft phone conference phone to enhance conference voice quality.
9. Support popular PBXs and cordless phone including DECT, 5.8GHz, 2.4GHz, 900 MHz, ...
10. Support international busy tone to make PBX application achievable.
11. Support 2 REN standard loads and 20, 25, 30 and 50Hz ring signal frequency.
12. Automatically allow new LINE friend (Default disable).
13. Support LineATA software online upgrade and latest software version check/download.
14. **LineATA hardware can run recent SkyATA software to work as a Skype gateway.**

### Minimum System Requirement

- One PC running at 1G Hz or better, 512 MB RAM and one spare USB port
- PC with Microsoft Windows 10, 8, 7 and LINE 6.x or later version

### Product Specification

- USB 1.1 plug and play, USB power, No external power
- One USB port for computer and one RJ11 port to connect with PBX analog trunk line or

analog phone

- L x W X H: 81x37x19mm

### Product Application



### **Contact Information**

---

Regin Technology Corp. LTD.

Office: 886-3-5735360

Fax: 886-3-5739231

Mobile: 886-936071552

Email: [henry@regintech.com.tw](mailto:henry@regintech.com.tw)

Address: 3F, NO. 41, Lane 42, Dongguang Rd., Hsinchu,  
Taiwan

Web: <https://www.regintech.com.tw>

Skype: [regin.skype](https://www.skype.com/name/regin.skype)

LINE: 瑞駿科技 Line

(Scan right hand QR code or search LINE ID by “regintech”)



Regintech Official website



Regintech Official LINE